


INTRINSIX



SOF CAN

PRODUCT PROFILE

# SOFCAN

## CANOPY RETROFIT



### Description

Intrinsix's SOFCAN Canopy Retrofit is the perfect choice when considering retrofitting your existing canopy soffits as well as many other canopy applications such as drive-throughs, loading docks and store fronts.

This unique system comes wattage selectable (20W/30W/40W) allowing for user friendly operation. Multiple beauty plate options to make for a smooth and seamless retrofit.

### Specifications

- Beauty Plates: 12"/15"/18"/24"
- Color: 5000K
- Voltage: 120V to 277V
- Efficiency: 140Lm/W
- IP Rating: IP65
- Lens: Frosted Lens
- Warranty: 50,000 Hours/5 Years

### Retrofit Canopy Fixture Details

Product Number	Power (W)	CCT (K)	Efficacy (Lm/W)	CRI	Lumen Output Temperature (Lm)	Operating Temperature	IP Rating	DLC Product ID
IX-SCR-20/30/40-50LO	20/30/40	5000	140	80+	2800/4200/5600	-4°F to 131°F	IP65	P2MWBSLL

SELECTABLE  
WATTAGE




### Beauty Plate Options

Wrap Product Number	Size
IX-SCR-12WBP	12"x12"
IX-SCR-15WBP	15"x15"
IX-SCR-18WBP	18"x18"
IX-SCR-24WBP	24"x24"



## Product Dimensions



## Product Detail



SELECTABLE  
WATTAGE



As the global safety science leader, UL helps companies to demonstrate safety, enhance sustainability, strengthen security, deliver quality, manage risk, and achieve regulatory compliance. The UL mark means that the global safety certification company UL has confirmed that the product has been independently tested and is safe for use.



The Federal Communications Commission (FCC) is an independent agency of the United States government that was created to regulate all forms of telecommunication inside of the U.S. including the radio frequency (RF) of electronics. Our products are fully tested ensure that they will not electromagnetically interfere with other products nor cause risk to the public as required by law.